



CITY OF LINCOLNTON
SEWER USE ORDINANCE
Article III. Sewers

DIVISION 1. GENERAL PROVISIONS

- Sec. 8-50. Purpose and Policy
- Sec. 8-52 Definitions and Abbreviations

DIVISION 2. GENERAL SEWER USE REQUIREMENTS

- Sec. 8-60 Prohibited Discharge Standards
- Sec. 8-61 National Categorical Pretreatment Standards
- Sec. 8-62 Industrial Waste Survey and Local Limits
- Sec. 8-63 State Requirements
- Sec. 8-64 Right of Revision
- Sec. 8-65 Dilution
- Sec. 8-66 Pretreatment of Wastewater
- Sec. 8-67 Accidental Discharge/Slug Control Plans
- Sec. 8-68 Hauled Wastewater
- Sec. 8-69 Use of Public Sewers
- Sec. 8-70 Regulations Concerning Building of Sewers and Connections.

DIVISION 3 - FEES

- Sec. 8-71 Purpose
- Sec. 8-72 User Charges
- Sec. 8-73 Surcharges
- Sec. 8-74 Pretreatment Program Administration Charges

DIVISION 4 - WASTEWATER DISCHARGE PERMIT APPLICATION AND ISSUANCE

- Sec. 8-81 Wastewater Dischargers
- Sec. 8-82 Wastewater Permits

DIVISION 5 - REPORTING REQUIREMENTS

- Sec. 8-86 Baseline Monitoring Reports
- Sec. 8-87 Compliance Schedule Progress Reports
- Sec. 8-88 Reports on Compliance with Categorical Pretreatment Standard
Deadline
- Sec. 8-89 Periodic Compliance Reports
- Sec. 8-90 Reports of Changed Conditions
- Sec. 8-91 Reports of Potential Problems
- Sec. 8-92 Reports from Unpermitted Users
- Sec. 8-93 Notice of Violation/Repeat Sampling and Reporting



Sec. 8-94	Notification of the Discharge of Hazardous Waste
Sec. 8-95	Analytical Requirements
Sec. 8-96	Sample Collection
Sec. 8-97	Timing
Sec. 8-98	Record Keeping

DIVISION 6 - COMPLIANCE MONITORING

Sec. 8-101	Monitoring Facilities
Sec. 8-102	Inspection and Sampling
Sec. 8-103	Search Warrants

DIVISION 7 - CONFIDENTIAL INFORMATION

Sec. 8-107	Public Information; Request for Confidentiality
Sec. 8-108	Government Access to Information
Sec. 8-109	Availability of Records

DIVISION 8 – ENFORCEMENT

Sec. 8-111	Administrative Remedies
Sec. 8-112	Civil Penalties
Sec. 8.113	Other Available Remedies
Sec. 8.114	Remedies Nonexclusive

DIVISION 9 - ANNUAL PUBLICATION OF SIGNIFICANT NONCOMPLIANCE

Sec. 8-119	Public Disclosure
------------	-------------------

DIVISION 10 - AFFIRMATIVE DEFENSES TO DISCHARGE VIOLATIONS

Sec. 8-121	Upset
Sec. 8-122	Prohibited Discharge Standards Defense
Sec. 8-131	Bypass

DIVISION 11 - SEVERABILITY

DIVISION 12 - CONFLICT

DIVISION 13 - EFFECTIVE DATE



DIVISION 1. GENERAL PROVISIONS

Sec. 8-50. Purpose and Policy

This article sets forth uniform requirements for direct and indirect contributors into the wastewater collection and treatment system for the City of Lincoln, hereafter referred to as “the City”, and enables the City to comply with all applicable State and Federal laws, including the Clean Water Act (33 United States Code §1251 *et seq.*) and the General Pretreatment Regulations (40 CFR, Part 403).

The objectives of this ordinance are:

- (a) To prevent the introduction of pollutants into the municipal wastewater system that will interfere with the operation of the system or contaminate the resulting sludge;
- (b) To prevent the introduction of pollutants into the municipal wastewater system which will pass through the system, inadequately treated, into any waters of the State or otherwise be incompatible with the system;
- (c) To promote reuse and recycling of industrial wastewater and sludges from the municipal system;
- (d) To protect both municipal personnel who may be affected by sewage, sludge, and effluent in the course of their employment as well as protecting the general public;
- (e) To provide for equitable distribution of the cost of operation, maintenance and improvement of the municipal wastewater system; and
- (f) To ensure that the municipality complies with its NPDES or Non-discharge Permit conditions, sludge use and disposal requirements and any other Federal or State laws to which the municipal wastewater system is subject.

This article provides for the regulation of direct and indirect contributors to the municipal wastewater system, through the issuance of permits to certain non-domestic users and through enforcement of general requirements for the other users, authorizes monitoring and enforcement activities, requires user reporting and provides for the setting of fees for the equitable distribution of costs resulting from the program established herein.

This article shall apply to all users of the municipal wastewater system. Except as otherwise provided herein, the POTW Director shall administer, implement, and enforce the provisions of this article. Any powers granted to or imposed upon the POTW Director may be delegated by the POTW Director to other City personnel. By discharging wastewater into the municipal wastewater system, industrial users located outside the City limits agree to comply with the terms and conditions established in this article, as well as any permits, enforcement actions, or orders issued hereunder.



Sec. 8-52. Definitions And Abbreviations

- (a) Unless the context specifically indicates otherwise, the following terms and phrases, as used in this article, shall have the meanings hereinafter designated:

Act or "the Act". The Federal Water Pollution Control Act, also known as the Clean Water Act, as amended, 33 U.S.C. §1251, *et seq.*

Approval Authority. The Director of the ***Division Of Water Quality of the North Carolina Department of Environment and Natural Resources*** or his designee.

Authorized Representative of the Industrial User.

- (1) If the industrial user is a corporation, authorized representative shall mean:
 - a) the president, secretary, or a vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or
 - b) the manager of one or more manufacturing, production, or operation facilities employing more than two hundred fifty (250) persons or having gross annual sales or expenditures exceeding twenty-five (25) million dollars (in second-quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
- (2) If the industrial user is a partnership or sole proprietorship, an authorized representative shall mean a general partner or the proprietor, respectively.
- (3) If the industrial user is a Federal, State or local government facility, an authorized representative shall mean a director or highest official appointed or designated to oversee the operation and performance of the activities of the government facility, or their designee.
- (4) The individuals described in subsections (1) above may designate another authorized representative if the authorization is in writing, the authorization specifies the individual or position responsible for the overall operation of the facility from which the discharge originates or



having overall responsibility for environmental matters for the company, and the written authorization is submitted to the City.

- (5) *If the designation of an authorized representative is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, or overall responsibility for environmental matters for the company, a new authorization satisfying the requirements of this section must be submitted to POTW Director prior to or together with any reports to be signed by an authorized representative.*

Biochemical Oxygen Demand (BOD). The quantity of oxygen utilized in the biochemical oxidation of organic matter under standard laboratory procedures for five (5) days at twenty (20°) centigrade, usually expressed as a concentration (e.g. mg/l).

Building Sewer. A sewer conveying wastewater from the premises of a user to the POTW.

Bypass. The intentional diversion of waste streams from any portion of a user's treatment facility.

Categorical Standards. National Categorical Pretreatment Standards or Pretreatment Standard.

Environmental Protection Agency, or EPA. The U.S. Environmental Protection Agency, or where appropriate the term may also be used as a designation for the Administrator or other duly authorized official of said agency.

Grab Sample. A sample which is taken from a waste stream on a one-time basis without regard to the flow in the waste stream and over a period of time not to exceed 15 minutes.

Holding Tank Waste. Any waste from holding tanks, including but not limited to such holding tanks as vessels, chemical toilets, campers, trailers, septic tanks, and vacuum-pump tank trucks.

Indirect Discharge or Discharge. The discharge or the introduction from any nondomestic source regulated under Sections 307(b), (c), or (d) of the Act, (33 U.S.C. 1317), into the POTW (including holding tank waste discharged into the system).

Industrial User or User. Any person who is a source of indirect discharge.

Interference. The inhibition, or disruption of the POTW treatment processes, operations, or its sludge process, use, or disposal, which causes or contributes to a violation of any requirement of the POTW's NPDES or Non-discharge Permit or prevents sewage sludge use or disposal in compliance with specified applicable State and Federal statutes, regulations, or permits. The term includes prevention of sewage sludge use or disposal by the POTW in accordance with Section 405 of the Act, (33 U.S.C. 1345) or any criteria, guidelines, or regulations developed pursuant to the Solid Waste Disposal Act (SWDA)(42 U.S.C. §6901, *et seq.*), the Clean Air Act, the Toxic Substances Control Act, the Marine Protection Research and Sanctuary Act (MPRSA) or more stringent state criteria (including those contained in any State sludge management plan prepared pursuant to Title IV of SWDA) applicable to the method of disposal or use employed by the POTW.

Medical Waste. Isolation wastes, infectious agents, human blood and blood products, pathological wastes, sharps, body parts, contaminated bedding, surgical wastes, potentially contaminated laboratory wastes, and dialysis wastes.

National Categorical Pretreatment Standard or Categorical Standard. Any regulation containing pollutant discharge limits promulgated by EPA in accordance with Sections 307(b) and (c) of the Act (33 U.S.C. §1317) which apply to a specific category of industrial users, and which appear in 40 CFR Chapter 1, Subchapter N, Parts 405-471.

National Prohibitive Discharge Standard or Prohibitive Discharge Standard. Absolute prohibitions against the discharge of certain substances; these prohibitions appear in Section 8-60 of this article and are developed under the authority of 307(b) of the Act and 40 CFR, Section 403.5.

New Source.

- (1) Any building, structure, facility, or installation from which there may be a discharge of pollutants, the construction of which commenced after the publication of proposed categorical pretreatment standards under Section 307(c) of the Act which will be applicable to such source if such standards are thereafter promulgated in accordance with Section 307(c), provided that:
 - (a) the building, structure, facility, or installation is constructed at a site at which no other source is located; or



- (b) the building, structure, facility, or installation totally replaces the process or production equipment that causes the discharge of pollutants at an existing source; or
 - (c) the production or wastewater generating processes of the building, structure, facility, or installation are substantially independent of an existing source at the same site. In determining whether these are substantially independent, factors such as the extent to which the new facility is integrated with the existing plant, and the extent to which the new facility is engaged in the same general type of activity as the existing source, should be considered.
- (2) Construction on a site at which an existing source is located results in a modification rather than a new source if the construction does not create a new building, structure, facility, or installation meeting the criteria of subsections (1)b. or (c)., above but otherwise alters, replaces, or adds to existing process or production equipment.
- (3) For purposes of this definition, construction of a new source has commenced if the owner or operator has:
 - a. Begun, or caused to begin, as part of a continuous on-site construction program:
 - 1. Any placement, assembly, or installation of facilities or equipment; or
 - 2. Significant site preparation work including clearing, excavation, or removal of existing buildings, structures or facilities which is necessary for the placement, assembly, or installation of new source facilities or equipment; or
 - b. Entered into a binding contractual obligation for the purchase of facilities or equipment which are intended to be used in its operation within a reasonable time. Options to purchase or contracts which can be terminated or modified without substantial loss, and contracts for feasibility , engineering, and design studies do not constitute a contractual obligation under this definition.

Noncontact Cooling Water. Water used for cooling which does not come into direct contact with any raw material, intermediate product, waste product, or finished product.

**National Pollution Discharge Elimination System, or NPDES, Permit.* A permit issued pursuant to Section 402 of the Act (33 U.S.C. §1342), or pursuant to N.C.G.S. 143-215.1 by the State under delegation from EPA.

Non-discharge Permit. A disposal system permit issued by the State pursuant to G.S. 143-215.1.

Pass Through. A discharge which exits the POTW into waters of the State in quantities or concentrations which, alone or with discharges from other sources, causes a violation, including an increase in the magnitude or duration of a violation, of the POTW's NPDES or Non-discharge Permit, or a downstream water quality standard.

Person. Any individual, partnership, copartnership, firm, company, corporation, association, joint stock company, trust, estate, governmental entity or any other legal entity, or their legal representatives, agents or assigns. This definition includes all Federal, State, and local government entities.

pH. A measure of the acidity or alkalinity of a substance, expressed as standard units, and calculated as the logarithm (Base 10) of the reciprocal of the concentration of hydrogen ions expressed in grams-per-liter of solution.

Pollutant. Any "waste" as defined in G.S. 143-213(18) and dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, medical wastes, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt and industrial, municipal, and agricultural waste and certain characteristics of wastewater (e.g., pH, temperature, TSS, turbidity, color, BOD, COD, toxicity, or odor).

POTW Director. The City of Lincolnton's Director of Public Works and Utilities.

POTW Treatment Plant. That portion of the POTW designed to provide treatment to wastewater.

Pretreatment or Treatment. The reduction of the amount of pollutants, the elimination of pollutants, or the alteration of the nature of pollutant properties in wastewater prior to or in lieu of discharging or otherwise introducing such pollution into a POTW. The reduction or alteration can be obtained by physical, chemical or biological processes, or process changes or other means, except by diluting the concentration of the pollutants unless allowed by an applicable pretreatment standard.

Pretreatment Program. The program for the control of pollutants introduced into the POTW from non-domestic sources which was developed by the City in compliance with 40 CFR 403.8 and approved by the approval authority as authorized by G.S. 143-215.3(a)(14) in accordance with 40 CFR 403.11.

Pretreatment Requirements. Any substantive or procedural requirement related to pretreatment, other than a pretreatment standard.

Pretreatment Standards. Prohibited discharge standards, categorical standards, and local limits.

Publicly Owned Treatment Works (POTW) or Municipal Wastewater System. A treatment works as defined by Section 212 of the Act, (33 U.S.C. §1292) which is owned in this instance by the City. This definition includes any devices or systems used in the collection, storage, treatment, recycling, and reclamation of municipal sewage or industrial wastes of a liquid nature. It also includes sewers, pipes, and other conveyances only if they convey wastewater to the POTW treatment plant. For the purposes of this ordinance, "POTW" shall also include any sewers that convey wastewaters to the POTW from persons outside the City who are, by contract or agreement with the City, or in any other way, users of the City's POTW.

Severe Property Damage. Substantial physical damage to property, damage to the user's treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.

Significant Industrial User. Any industrial user of the wastewater disposal system who:

- (1) Has an average daily process wastewater flow of 25,000 gallons or more;
or



- (2) Contributes more than 5% of any design or treatment capacity (i.e., allowable pollutant load) of the wastewater treatment plant receiving the indirect discharge; or
- (3) Is required to meet a National categorical pretreatment standard; or
- (4) Is found by the City, the *Division Of Water Quality* or the U.S. Environmental Protection Agency (EPA) to have the potential for impact, either singly or in combination with other contributing industrial users, on the wastewater treatment system, the quality of sludge, the system's effluent quality, or compliance with any pretreatment standards or requirements.

Significant Noncompliance or Reportable Noncompliance. A status of noncompliance defined as follows:

(1) Violations of wastewater discharge limits.

- a. Chronic Violations. Sixty-six (66) percent or more of the measurements exceed (by any magnitude) the same daily maximum limit or the same average limit in a six-month period.
- b. Technical Review Criteria (TRC) violations. Thirty-three (33) percent or more of the measurements *equal to or greater than* the TRC times the limit (maximum or average) in a six-month period. There are two groups of TRCs:

For conventional pollutants:

BOD, TSS, Fats, Oil and Grease TRC =	1.4
For All Other Pollutants TRC =	1.2

- c. Any other violation(s) of an effluent limit (average or daily maximum) that the control authority believes has caused, alone or in combination with other discharges, interference or pass-through; or endangered the health of the sewage treatment plant personnel or the public.
- d. Any discharge of a pollutant that has caused imminent endangerment to human health, welfare to the environment or has resulted in the POTW's exercise of its emergency authority to halt or prevent such a discharge.



- (2) Violations of compliance schedule milestones, contained in a pretreatment permit or enforcement order, for starting construction, completing construction, and attaining final compliance by ninety (90) days or more after the schedule date.
- (3) Failure to provide reports for compliance schedule, self-monitoring data, baseline monitoring reports, ninety-day compliance reports, and periodic compliance reports within thirty (30) days from the due date.
- (iv) Failure to accurately report noncompliance.
- (v) Any other violation or group of violations that the control authority considers to be significant.

Slug Load or Discharge. Any discharge at a flow rate or concentration which ***has a reasonable potential to cause Interference or Pass-Through, or in any other way violates the POTW's regulations, local limits, or Industrial User Permit conditions. This can include but is not limited to spills and other accidental discharges; discharges of a non-routine, episodic nature; a non-customary batch discharge; or any other discharges that*** can cause a violation of the prohibited discharge standards in section 8-60 of this ordinance.

Standard Industrial Classification (SIC). A classification pursuant to the Standard Industrial Classification Manual issued by the Executive Office of the President, Office of Management and Budget, 1987.

Storm Water. Any flow occurring during or following any form of natural precipitation and resulting therefrom.

Superintendent. The person designated by the City to supervise the operation of the publicly owned treatment works and who is charged with certain duties and responsibilities by this ordinance, or his duly authorized representative.

Suspended Solids. The total suspended matter that floats on the surface of, or is suspended in, water, wastewater or other liquids, and which is removable by laboratory filtering.

Upset. An exceptional incident in which there is unintentional and temporary noncompliance with categorical pretreatment standards because of factors beyond the reasonable control of the user. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities lack of preventive maintenance, or careless or improper operation.

Wastewater. The liquid and water-carried industrial or domestic wastes from dwellings, commercial buildings, industrial facilities, mobile sources, treatment facilities and institutions, together with any groundwater, surface water, and storm water that may be present, whether treated or untreated, which are contributed into or permitted to enter the POTW.

Wastewater Permit. As set forth in Section 8.82 of this article.

Waters of the State. All streams, lakes, ponds, marshes, watercourse, waterways, wells, springs, reservoirs, aquifers, irrigation systems, drainage systems and all other bodies or accumulations of water, surface or underground, natural or artificial, public or private, which are contained within, flow through, or border upon the State or any portion thereof.

This article is gender neutral and the masculine gender shall include the feminine and vice-versa. Shall is mandatory; may is permissive or discretionary. The use of the singular shall be construed to include the plural and the plural shall include the singular as indicated by the context of its use.

(b) The following abbreviations, when used in this ordinance, shall have the designated meanings:

- | | | |
|------|----------|---|
| (1) | BOD | Biochemical Oxygen Demand |
| (2) | CFR | Code of Federal Regulations |
| (3) | COD | Chemical Oxygen Demand |
| (4) | EPA | Environmental Protection Agency |
| (5) | gpd | Gallons per day |
| (6) | l | Liter |
| (7) | mg | Milligrams |
| (8) | mg/l | Milligrams per liter |
| (9) | N.C.G.S. | North Carolina General Statutes |
| (10) | NPDES | National Pollution Discharge Elimination System |
| (11) | O & M | Operation and Maintenance |
| (12) | POTW | Publicly-Owned Treatment Works |
| (13) | RCRA | Resource Conservation and Recovery Act |
| (14) | SIC | Standard Industrial Classification |
| (15) | SWDA | Solid Waste Disposal Act |
| (16) | TSS | Total Suspended Solids |
| (17) | TKN | Total Kjeldahl Nitrogen |
| (18) | U.S.C. | United States Code. |



DIVISION 2. GENERAL SEWER USE REQUIREMENTS

Sec. 8-60. Prohibited Discharge Standards

- (a) *General Prohibitions.* No user shall contribute or cause to be contributed into the POTW, directly or indirectly, any pollutant or wastewater which causes interference or pass through. These general prohibitions apply to all users of a POTW whether or not the user is a significant industrial user or subject to any National, State, or local pretreatment standards or requirements.
- (b) *Specific Prohibitions.* No user shall contribute or cause to be contributed into the POTW the following pollutants, substances, or wastewater:
 - (1) Pollutants which create a fire or explosive hazard in the POTW, including, but not limited to, wastestreams with a closed cup flashpoint of less than 140°F (60°C) using the test methods specified in 40 CFR 261.21.
 - (2) Solid or viscous substances in amounts which will cause obstruction of the flow in the POTW resulting in interference but in no case solids greater than one half inch (1/2") in any dimension including wood, glass, ashes, sand, cinders, non-shredded garbage, etc.
 - (3) Any ground paper products.
 - (4) Petroleum oil, nonbiodegradable cutting oil, or products of mineral oil origin, in amounts that will cause interference or pass through.
 - (5) Any wastewater having a pH less than 5.0 or more than 10 or wastewater having any other corrosive property capable of causing damage to the POTW or equipment.
 - (6) Any wastewater containing pollutants, including oxygen-demanding pollutants, (BOD, etc.) in sufficient quantity, (flow or concentration) either singly or by interaction with other pollutants, to cause interference with the POTW.
 - (7) Any wastewater having a temperature greater than 150° F (66°C), or which will inhibit biological activity in the POTW treatment plant resulting in Interference, but in no case wastewater which causes the temperature at the introduction into the treatment plant to exceed 104°F (40°C).



- (8) Any pollutants which result in the presence of toxic gases, vapors or fumes within the POTW in a quantity that may cause acute worker health and safety problems.
- (9) Any trucked or hauled pollutants, except at discharge points designated by the POTW Director in accordance with Section 8-68 of this article.
- (10) Any noxious or malodorous liquids, gases, or solids or other wastewater which, either singly or by interaction with other wastes, are sufficient to create a public nuisance or hazard to life or are sufficient to prevent entry into the sewers for maintenance and repair.
- (11) Any substance which may cause the POTW's effluent or any other product of the POTW such as residues, sludges, or scums, to be unsuitable for reclamation and reuse or to interfere with the reclamation process. In no case, shall a substance discharged to the POTW cause the POTW to be in noncompliance with sludge use or disposal regulations or permits issued under Section 405 of the Act; the Solid Waste Disposal Act, the Clean Air Act, the Toxic Substances Control Act, or State criteria applicable to the sludge management method being used.
- (12) Any wastewater containing any radioactive wastes or isotopes except as specifically approved by the POTW Director in compliance with applicable State or Federal regulations.
- (13) Storm water, surface water, ground water, artesian well water, roof runoff, subsurface drainage, swimming pool drainage, condensate, deionized water, noncontact cooling water and unpolluted industrial wastewater, unless specifically authorized by the POTW Director.
- (14) Fats, oils, or greases of animal or vegetable origin in concentrations greater than one hundred (100) mg/l.
- (15) Any sludges, screenings or other residues from the pretreatment of industrial wastes.
- (16) Any medical wastes, except as specifically authorized by the POTW Director in a wastewater discharge permit.
- (17) Any material containing ammonia, ammonia salts, or other chelating agents which will produce metallic complexes that interfere with the municipal wastewater system.



- (18) Any material that would be identified as hazardous waste according to 40 CFR Part 261 if not disposed of in a sewer except as may be specifically authorized by the POTW Director.
- (19) Any wastewater causing the treatment plant effluent to violate State Water Quality Standards for toxic substances as described in 15A NCAC 2B .0200.
- (20) Wastewater causing, alone or in conjunction with other sources, the treatment plant's effluent to fail a toxicity test.
- (21) Recognizable portions of the human or animal anatomy.
- (22) Any wastes containing detergents, surface active agents, or other substances which may cause excessive foaming in the municipal wastewater system.
- (23) At no time, shall two (2) successive readings on an explosion hazard meter, at the point of discharge into the system (or at any point in the system) be more than five percent (5%) nor any single reading over ten percent (10%) of the lower explosive limit (LEL) of the meter.
- (24) At no time shall any sanitary wastewater be discharged or allowed to be discharged into the storm sewer system without exception.

(c) Pollutants, substances, wastewater, or other wastes prohibited by this section shall not be processed or stored in such a manner that they could be discharged to the municipal wastewater system. All floor drains located in process or materials storage areas must discharge to the industrial user's pretreatment facility before connecting with the system.

(d) When the POTW Director determines that a user(s) is contributing to the POTW, any of the above enumerated substances in such amounts which may cause or contribute to interference of POTW operation or pass through, the POTW Director shall:

- 1) Advise the user(s) of the potential impact of the contribution on the POTW in accordance with Section 8-111; and
- 2) Take appropriate actions in accordance with section 8-81 and 8-82 for such user to protect the POTW from interference or pass through.

Sec. 8-61. National Categorical Pretreatment Standards

Users subject to categorical pretreatment standards are required to comply with applicable standards as set out in 40 CFR Chapter 1, Subchapter N, Parts 405-471 and incorporated herein.

- (a) Where a categorical pretreatment standard is expressed only in terms of either the mass or the concentration of a pollutant in wastewater, the POTW Director may impose equivalent concentration or mass limits in accordance with 40 CFR 403.6(c).
- (b) When wastewater subject to a categorical pretreatment standard is mixed with wastewater not regulated by the same standard, the POTW Director shall impose an alternate limit using the combined wastestream formula in 40 CFR 403.6(e).
- (c) A user may obtain a variance from a categorical pretreatment standard if the user can prove, pursuant to the procedural and substantive provisions in 40 CFR 403.13, that factors relating to its discharge are fundamentally different from the factors considered by EPA when developing the categorical pretreatment standard.
- (d) A user may obtain a net gross adjustment to a categorical standard in accordance with 40 CFR 403.15.

Sec. 8-62. Industrial Waste Survey and Local Limits

Industrial Waste Survey information will be used to implement the general and specific discharge prohibitions listed in this ordinance. Industrial user-specific local limits will be developed ensuring that the POTW's maximum allowable headworks loading is not exceeded for particular pollutants of concern for each industrial user. Where specific local limits are not contained for a given parameter or pollutant in an industrial user permit, the following *average discharge* limits will apply to all users:

250	mg/l	BOD
250	mg/l	TSS
40	mg/l	oil and grease
500	mg/l	COD
40	mg/l	TKN
0.003	mg/l	arsenic
0.003	mg/l	cadmium
0.061	mg/l	copper
0.015	mg/l	cyanide
0.049	mg/l	lead
0.0003	mg/l	mercury
0.021	mg/l	nickel
0.050	mg/l	molybdenum
0.025	mg/l	selenium
4.00	mg/l	phosphorus
0.050	mg/l	phenol
0.005	mg/l	silver
0.05	mg/l	total chromium
0.175	mg/l	zinc
10	mg/l	ammonia



Industrial user-specific local limits for appropriate pollutants of concern shall be included in wastewater permits and are considered pretreatment standards. The POTW Director may impose mass limits in addition to, or in place of, the concentration-based limits above.

Sec. 8-63. State Requirements

State requirements and limitations on discharges shall apply in any case where they are more stringent than Federal requirements and limitations or those in this article.

Sec. 8-64. Right of Revision

The City reserves the right to establish limitations and requirements which are more stringent than those required by either State or Federal regulation if deemed necessary to comply with the objectives presented in Section 8.50 of this article or the general and specific prohibitions in Section 8.60 of this article, as is allowed by 40 CFR 403.4.

Sec. 8- 65. Dilution

No user shall ever increase the use of process water or, in any way, attempt to dilute a discharge as a partial or complete substitute for adequate treatment to achieve compliance with the limitations contained in the National categorical pretreatment standards, unless expressly authorized by an applicable pretreatment standard, or in any other pollutant-specific limitation developed by the City or State.

Sec. 8-66. Pretreatment of Wastewater

- (a) **Pretreatment Facilities.** Users shall provide wastewater treatment as necessary to comply with this article and wastewater permits issued under Section 8-82 of this article and shall achieve compliance with all National Categorical Pretreatment Standards, local limits, and the prohibitions set out in Section 8-60 of this article within the time limitations as specified by EPA, the State, or the POTW Director, whomever is more stringent. Any facilities necessary for compliance shall be provided, operated, and maintained at the user's expense. Detailed plans showing the pretreatment facilities and operating procedures shall be submitted to the City for review, and shall be approved by the POTW Director before construction of the facility. The review of such plans and operating procedures shall in no way relieve the user from the responsibility of modifying the facility as necessary to produce an effluent acceptable to the City under the provisions of this article. Any subsequent changes in the pretreatment facilities or method of operation shall be reported to and be approved by the POTW Director prior to the user's initiation of the changes.
- (b) *Additional Pretreatment Measures*
 - (1.) Whenever deemed necessary, the POTW Director may require users to restrict their discharge during peak flow periods, designate that certain wastewater be discharged only into specific sewers, relocate and/or consolidate points of discharge, separate sewage wastestreams from industrial wastestreams, and such



other conditions as may be necessary to protect the POTW and determine the user's compliance with the requirements of this article.

- (2.) The POTW Director may require any person discharging into the POTW to install and maintain, on their property and at their expense, a suitable storage and flow-control facility to ensure equalization of flow. A wastewater discharge permit may be issued solely for flow equalization.
3. Grease, oil, and sand interceptors shall be provided when, in the opinion of the POTW Director, they are necessary for the proper handling of wastewater containing excessive amounts of grease and oil, or sand; except that such interceptors shall not be required for residential users. All interception units shall be of type and capacity approved by the POTW Director and shall be so located to be easily accessible for cleaning and inspection. Such interceptors shall be inspected, cleaned, and repaired regularly, as needed, by the user at their expense.
4. Users with the potential to discharge flammable substances may be required to install and maintain an approved combustible gas detection meter.
5. The POTW Director may require a grinder to be installed as necessary for the proper handling of excessive amounts of trash, rags, etc., in a discharge.

Sec. 8-67. Accidental Discharge/Slug Control Plans

- (a) At least once every two (2) years, the POTW Director shall evaluate whether each significant industrial user needs an accidental discharge/ slug control plan. The POTW Director may require any user to develop, submit for approval, and implement such a plan. Alternatively, the POTW Director may develop such a plan for any user.
- (b) *All SIUs are required to notify the POTW immediately of any changes at its facility affecting the potential for spills and other accidental discharge, discharge of a non-routine, episodic nature, a non-customary batch discharge, or a slug load. Also see Sections 8-90 and 8-91.*
- (c) *An accidental discharge/slug control plan shall address, at a minimum, the following:*
 - (a) *Description of discharge practices, including non-routine batch discharges;*
 - (b) *Description of stored chemicals;*



- (c)) *Procedures for immediately notifying the POTW Director of any accidental or slug discharge, as required by section 8-91 of this article; and;*
- (d)) *Procedures to prevent adverse impact from any accidental or slug discharge. Such procedures include, but are not limited to, inspection and maintenance of storage areas, handling and transfer of materials, loading and unloading operations, control of plant site runoff, worker training, building of containment structures or equipment, measures for containing toxic organic pollutants, including solvents, and/or measures and equipment for emergency response.*

Sec. 8-68. Hauled Wastewater.

- (a) Septic tank waste may be introduced into the POTW only at locations designated by the POTW Director, and at such times as are established by the POTW Director. Such waste shall not violate Division 2 of this article or any other requirements established by the City. The POTW Director may require septic tank waste haulers to obtain wastewater discharge permits.
- (b) The POTW Director shall require haulers of industrial waste to obtain wastewater discharge permits. The POTW Director may require generators of hauled industrial waste to obtain wastewater discharge permits. The POTW Director also may prohibit the disposal of hauled industrial waste. The discharge of hauled industrial waste is subject to all other requirements of this article.
- (c) Industrial waste haulers may discharge loads only at locations designated by the POTW Director. No load may be discharged without prior consent of the POTW Director. The POTW Director may collect samples of each hauled load to ensure compliance with applicable standards. The POTW Director may require the industrial waste hauler to provide a waste analysis of any load prior to discharge.
- (d) Industrial waste haulers must provide a waste-tracking form for every load. This form shall include, at a minimum, the name and address of the industrial waste hauler, permit number, truck identification, names and addresses of sources of waste, and volume and characteristics of waste. The form shall identify the type of industry, known or suspected waste constituents, and whether any wastes are RCRA hazardous wastes.

Sec. 8-69. Use of Public Sewers



- (a) *Reasonable Accessibility.* A property owner is considered to have reasonable access to the public sewer collection system when the property is located within 200 feet of the public sewer. Property owners meeting this criteria are required to connect to the public sewer system in the time described below in subsection (b).
- (b) *Compliance Time.* Property owners meeting the reasonable accessibility requirement will receive proper notice that he/she is being requested to provide a connection to the public sewer. Allowable compliance time, a reasonable time allowance or completion of the work, to make a proper connection shall not exceed 60 days.

Sec. 8-70. Regulations Concerning Building of Sewers and Connections

Regulations for building/construction of public sewers and connections are properly covered in the North Carolina Plumbing and Building codes and shall be followed. A copy of these regulations is attached as part of this Sewer Use Ordinance.

DIVISION 3. FEES

Sec. 8-71. Purpose

It is the purpose of this chapter to provide for the recovery of costs from users of the City's wastewater disposal system for the implementation of the program established herein. The applicable charges or fees shall be set forth the City's schedule of charges and fees.

Sec. 8-72. User Charges



A user charge shall be levied on all users including, but not limited to, persons, firms, corporations or governmental entities that discharge, cause or permit the discharge of sewage into the POTW.

- (a) The user charge shall reflect at least the cost of debt service, operation and maintenance (including replacement) of the POTW.
- (b) Each user shall pay its proportionate cost based on volume of flow.
- (c) The City shall review annually the sewage contributions of users, the total costs of debt service, operation and maintenance of the POTW and will make recommendations to the City for adjustments in the schedule of charges and fees as necessary.
- (d) Charges for flow to the POTW not directly attributable to the users shall be distributed among all users of the POTW based upon the volume of flow of the users.

Sec. 8-73. Surcharges

All industrial users of the POTW are subject to industrial waste surcharges on discharges which exceed the following levels:

BOD	250 mg/l
TSS	250 mg/l
COD	500 mg/l
Oil and Grease	40 mg/l

The amount of surcharge will be based upon the mass emission rate (in pounds per day) discharged above the levels listed above. The amount charged per pound of excess will be set forth in the schedule of charges and fees.

- (a) The volume of flow used in determining the total discharge of wastewater for payment of user charges and surcharges shall be based on the following:
 - (1) Metered water consumption as shown in the records of meter readings maintained by the City; or
 - (2) If required by the City or at the individual dischargers option, other flow monitoring devices which measure the actual volume of wastewater discharged to the sewer. Such devices shall be accessible and safely located, and the measuring system shall be installed in accordance with plans approved by the City. The metering system shall be installed and maintained at the users' expense according to arrangements that may be made with the City.

- (3) Where any user procures all or part of his water supply from sources other than the City, the user shall install and maintain at his own expense a flow measuring device of a type approved by the City.
- (b) The character and concentration of the constituents of the wastewater used in determining surcharges shall be determined by samples collected and analyzed by the City. Samples shall be collected in such a manner as to be representative of the actual discharge and shall be analyzed using procedures set forth in 40 CFR Part 136.
- (c) The determination of the character and concentration of the constituents of the wastewater discharge by the POTW Director or his duly appointed representatives shall be binding as a basis for charges.

Sec. 8-74. Pretreatment Program Administration Charges

The schedule of charges and fees adopted by the City may include charges and fees for:

- (a) reimbursement of costs of setting up and operating the Pretreatment Program;
- (b) monitoring, inspections and surveillance procedures;
- (c) reviewing slug control plans, including accidental and/or slug load discharge procedures and construction plans and specifications;
- (d) permitting;
- (e) other fees as the City may deem necessary to carry out the requirements of the Pretreatment Program.

DIVISION 4. WASTEWATER DISCHARGE PERMIT APPLICATION AND ISSUANCE

Sec. 8-81. Wastewater Dischargers

It shall be unlawful for any person to connect or discharge to the POTW without first obtaining the permission of the City of Lincolnton. When requested by the POTW Director, a user must submit information on the nature and characteristics of its wastewater within thirty (30) days of the request. The POTW Director is authorized to prepare a form for this purpose and may periodically require users to update this information.

Sec. 8-82. Wastewater Permits

All significant industrial users shall obtain a significant industrial user permit prior to the commencement of discharge to the POTW. Existing industrial users who are determined by the POTW Director to be significant industrial users shall obtain a significant industrial user permit within 180 days of receiving



notification of the POTW Director's determination. Industrial users who do not fit the significant industrial user criteria may at the discretion of the POTW Director be required to obtain a wastewater discharge permit for non-significant industrial users.

(a) *Significant Industrial User Determination*

All persons proposing to discharge non-domestic wastewater, or proposing to change the volume or characteristics of an existing discharge of non-domestic wastewater shall request from the POTW Director a significant industrial user determination. If the POTW Director determines or suspects that the proposed discharge fits the significant industrial user criteria, he will require that a significant industrial user permit application be filed.

(b) *Significant Industrial User Permit Application*

Users required to obtain a significant industrial user permit shall complete and file with the City an application in the form prescribed by the POTW Director, and accompanied by an application fee in the amount prescribed in the schedule of charges and fees. Significant industrial users shall apply for a significant industrial user permit within 90 days after notification of the POTW Director's determination in section 8-82(a), above. In support of the application, the user shall submit, in units and terms appropriate for evaluation, the following information:

- (1) Name, address, and location, (if different from the address);
- (2) Standard Industrial Classification (SIC) codes for pretreatment, the industry as a whole, and any processes for which categorical pretreatment standards have been promulgated;
- (3) Analytical data on wastewater constituents and characteristics including but not limited to those mentioned in division 2 of this article, any of the priority pollutants (Section 307(a) of the Act) which the applicant knows or suspects are present in the discharge as determined by a reliable analytical laboratory, and any other pollutant of concern to the POTW; sampling and analysis shall be performed in accordance with procedures established by the EPA pursuant to Section 304(g) of the Act and contained in 40 CFR, Part 136, as amended ***and as required in Section 8-95 and 8-96;***
- (4) Time and duration of the indirect discharge;
- (5) Average daily and 30-minute peak wastewater flow rates, including daily, monthly, and seasonal variations if any;



- (6) Site plans, floor plans, mechanical and plumbing plans and details to show all sewers, floor drains, sewer connections, direction of flow and appurtenances by the size, location and elevation;
- (7) Description of activities, facilities and plant processes on the premises including all materials which are or could be accidentally or intentionally discharged;
- (8) Where known, the nature and concentration of any pollutants in the discharge which are limited by any City, State, or Federal Pretreatment Standards, and a statement regarding whether or not the pretreatment standards are being met on a consistent basis and if not, whether additional operation and maintenance (O&M) and/or additional pretreatment is required for the user to meet applicable pretreatment standards;
- (9) If additional pretreatment and/or O&M will be required to meet the pretreatment standards; the shortest schedule by which the user will provide such additional pretreatment. The completion date in this schedule shall not be longer than the compliance date established for the applicable pretreatment standard. The following conditions apply to this schedule:
 - a. The schedule shall contain progress increments in the form of dates for the commencement and completion of major events leading to the construction and operation of additional pretreatment required for the user to meet the applicable pretreatment standards. No increment in the schedule shall exceed nine (9) months.
 - b. No later than 14 days following each date in the schedule and the final date for compliance, the user shall submit a progress report to the POTW Director including, at a minimum, whether or not it complied with the increment of progress, the reason for any delay, and if appropriate, the steps being taken by the user to return to the established schedule. In no event shall more than nine (9) months elapse between such progress reports to the POTW Director.
- (10) Each product produced by type, amount, process or processes and rate of production;
- (11) Type and amount of raw materials processed (average and maximum per day);
- (12) Number and type of employees, and hours of operation of plant and proposed or actual hours of operation of pretreatment system;



(13) If subject to a categorical standard, a baseline monitoring report in accordance with 40 CFR 403.12(b) and 15A NCAC 2H .0908(a), as outlined in Section 8-86 of this article.

(14) Any other information as may be deemed by the POTW Director to be necessary to evaluate the permit application.

(c) *Application Signatories and Certification*

All wastewater discharge permit applications and user reports must be signed by ***the current*** authorized representative of the user ***on file with the City as defined in Section 8-52(a)(1)*** and contain the following certification statement:

“I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

(d) *Application Review And Evaluation*

The POTW Director will evaluate the data furnished by the user and may require additional information.

- (1) The POTW Director is authorized to accept applications for the City and shall refer all applications to the POTW staff for review and evaluation.
- (2) Within 30 days of receipt, the POTW Director shall acknowledge and accept the complete application; or if not complete, shall return the application to the applicant with a statement of what additional information is required.

(e) *Tentative Determination and Draft Permit*

- (1) The POTW staff shall conduct a review of the application and an on-site inspection of the significant industrial user, including any pretreatment facilities, and shall prepare a written evaluation and tentative determination to issue or deny the significant industrial user permit.



- (2) If the staff's tentative determination in Paragraph (1) above is to issue the permit, the following additional determinations shall be made in writing:
 - a. proposed discharge limitations for those pollutants proposed to be limited;
 - b. proposed schedule of compliance, including interim dates and requirements, for meeting the proposed limitations; and
 - c. a brief description of any other proposed special conditions which will have significant impact upon the discharge described in the application.
- (3) The staff shall organize the determinations made pursuant to Paragraphs (1) and (2) above and the City's general permit conditions into a significant industrial user permit.

(f) *Permit Synopsis*

A fact sheet providing a brief synopsis of the application shall be prepared by the POTW staff for submission to the applicant and the approval authority and shall be made available to the public upon request. The contents of such fact sheets shall include at least the following information:

- (1) a sketch and detailed description of the industrial facilities and pretreatment facilities including the location of all points of discharge to the POTW and all established compliance monitoring points.
- (2) a quantitative description of the discharge described in the application which includes at least the following:
 - a. the rate or frequency of the proposed discharge; if the discharge is continuous, the average daily flow;
 - b. the actual average daily discharge in pounds per day of any limited pollutant and any pollutant identified in the application as known or suspected present; and,
 - c. the basis for the pretreatment limitations including the documentation of any calculations in applying categorical pretreatment standards.

(g) *Final Action On Significant Industrial User Permit Applications*

- (1) The POTW Director shall take final action on all applications not later than 90 days following receipt of a complete application.



(2) The POTW Director is authorized to:

- a. Issue a significant industrial user permit containing such conditions as are necessary to effectuate the purposes of this ordinance and G.S. 143-215.1;
- b. Issue a significant industrial user permit containing time schedules for achieving compliance with applicable pretreatment standards and requirements;
- c. Modify any permit upon not less than 60 days notice and pursuant to Section 8-82(i) of this article;
- d. Revoke any permit pursuant to Section 8-111 of this article;
- e. Suspend a permit pursuant to Section 8-111 of this Ordinance;
- f. Deny a permit application when in the opinion of the POTW Director such discharge may cause or contribute to pass-through or interference of the wastewater treatment plant or where necessary to effectuate the purposes of G.S. 143-215.1.

(h) *Hearings*

- (1) *Initial Adjudicatory Hearing.* An applicant whose permit is denied, or is granted subject to conditions he deems unacceptable, a permittee/user assessed a civil penalty under Section 8-112, or one issued an administrative order under Section 8-111 shall have the right to an adjudicatory hearing before a hearing officer designated by the POTW Director upon making written demand, identifying the specific issues to be contested, to the POTW Director within 30 days following receipt of the significant industrial user permit, civil penalty assessment, or administrative order. Unless such written demand is made within the time specified herein, the action shall be final and binding. The hearing officer shall make a final decision on the contested permit, penalty, or order within 45 days of the receipt of the written demand for a hearing. The POTW Director shall transmit a copy of the hearing officer's decision by registered or certified mail.
 - a. *New Permits.* Upon appeal, including judicial review in the General Courts of Justice, of the terms or conditions of a newly issued permit, the terms and conditions of the entire permit are stayed and the permit is not in effect until either the conclusion of judicial review or until the parties reach a mutual resolution.



- b. Renewed Permits. Upon appeal, including judicial review in the General Courts of Justice, of the terms or conditions of a renewed permit, the terms and conditions of the existing permit remain in effect until either the conclusion of judicial review or until the parties reach a mutual resolution.
- (2) *Final Appeal Hearing.* Any decision of a hearing officer made as a result of an adjudicatory hearing held under subsection (h)(1) above, may be appealed, to the City Council upon filing a written demand within 10 days of receipt of notice of the decision. Hearings held under this Subdivision shall be conducted in accordance with procedures adopted by the City Council. Failure to make written demand within the time specified herein shall bar further appeal. The City Council shall make a final decision on the appeal within 90 days of the date the appeal was filed and shall transmit a written copy of its decision by registered or certified mail.



- (3) *Official record.* When a final decision is issued under subsection (h)(2), above, the City Council shall prepare an official record of the case that includes:
- a. All notices, motions, and other like pleadings;
 - b. A copy of all documentary evidence introduced;
 - c. A certified transcript of all testimony taken, if testimony is transcribed. If testimony is taken and not transcribed, then a narrative summary of any testimony taken.
 - d. A copy of the final decision of the City Council.

- (4) *Judicial Review.* Any person against whom a final order or decision of the City Council is entered, pursuant to the hearing conducted under subsection (h)(2), above, may seek judicial review of the order or decision by filing a written petition within 30 days after receipt of notice by registered or certified mail of the order or decision, but not thereafter, with the Superior Court of Lincoln County along with a copy to the City. Within 30 days after receipt of the copy of the petition of judicial review, the City Council shall transmit to the reviewing court the original or a certified copy of the official record.

(i) *Permit Modification*

- (1) ***Modifications of permits shall be subject to the same procedural requirements as the issuance of permits except as listed below. Any changes or new conditions in the permit shall include a reasonable time schedule for compliance.***

- a. Changes in the ownership of the discharge when no other change in the permit is indicated,
 - b. A single modification of any compliance schedule not in excess of four months,
 - c. Modification of compliance schedules (construction schedules) in permits for new sources where the new source will not begin to discharge until control facilities are operational.
- (2) Within nine months of the promulgation of a National categorical pretreatment standard, the wastewater discharge permit of users subject to such standards



shall be revised to require compliance with such standard within the time frame prescribed by such standard. Where a user, subject to a National categorical pretreatment standard, has not previously submitted an application for a wastewater discharge permit as required by subsection (b), the user shall apply for a wastewater discharge permit within 180 days after the promulgation of the applicable National categorical pretreatment standard.

- (3) A request for a modification by the permittee shall constitute a waiver of the 60 day notice required by G.S. 143-215.1(b) for modifications.

(j) *Permit Conditions*

- (1) The POTW Director shall have the authority to grant a permit with such conditions attached as he believes necessary to achieve the purpose of this ordinance and G.S. 143-215.1. Wastewater permits shall contain, but are not limited to, the following:
 - a. A statement of duration (in no case more than five years);
 - b. A statement of non-transferability;
 - c. Applicable effluent limits based on categorical standards or local limits or both;
 - d. Applicable monitoring, sampling, reporting, notification, and record keeping requirements. These requirements shall include an identification of pollutants to be monitored, sampling location, sampling frequency, and sample type based on Federal, State and local law;
 - e. *requirements for notifying the POTW in the event of an accidental discharge or slug load as defined in Section 1.2(a)(35);*
 - f. *requirements to implement a Plan or other controls for prevention of accidental discharges and/or slug loads as defined in Section 1.2(a)(35), if determined by the POTW Director to be necessary for the User and,*
 - g. *requirements for immediately notifying the POTW of any changes at its facility affecting the potential for spills and other accidental discharges, or slug load as defined in 1.2(a)(35). Also see Sections 8-90 and 8-91;*



- h.* a statement of applicable civil and criminal penalties for violation of pretreatment standards and requirements and any applicable compliance schedule.

(2) In addition, permits may contain, but are not limited to, the following:

- a.* Limits on the average and/or maximum rate of discharge, and/or requirements for flow regulation and equalization.
- b.* Limits on the instantaneous, daily and monthly average and/or maximum concentration, mass, or other measure of identified wastewater pollutants or properties.
- c.* Requirements for the installation of pretreatment technology or construction of appropriate containment devices, etc., designed to reduce, eliminate, or prevent the introduction of pollutants into the treatment works.
- d.* Development and implementation of waste minimization plans to reduce the amount of pollutants discharged to the municipal wastewater system.
- e.* The unit charge or schedule of user charges and fees for the management of the wastewater discharged to the system.
- f.* Requirements for installation and maintenance of inspection and sampling facilities and equipment.
- g.* Specifications for monitoring programs which may include sampling locations, frequency of sampling, number, types, and standards for tests, and reporting schedules.
- h.* Requirements for immediate reporting of any instance of noncompliance and for automatic resampling and reporting within thirty (30) days where self-monitoring indicates a violation(s).
- i.* Compliance schedules for meeting pretreatment standards and requirements.
- j.* Requirements for submission of periodic self-monitoring or special notification reports.

- k. Requirements for maintaining and retaining plans and records relating to wastewater discharges as specified in Section 8-98 and affording the POTW Director or his representatives, access thereto.
- l. Requirements for prior notification and approval by the POTW Director of any new introduction of wastewater pollutants or of any significant change in the volume or character of the wastewater prior to introduction in the system.
- m. Requirements for the prior notification and approval by the POTW Director of any change in the manufacturing and/or pretreatment process used by the permittee.
- n. A statement that compliance with the permit does not relieve the permittee of responsibility for compliance with all applicable Federal and State pretreatment standards, including those which become effective during the terms of the permit.
- o. Other conditions as deemed appropriate by the POTW Director to ensure compliance with this ordinance, and State and Federal laws, rules, and regulations.

(k) *Permits Duration*

Permits shall be issued for a specified time period, not to exceed five (5) years. A permit may be issued for a period less than a year or may be stated to expire on a specific date.

(l) *Permit Transfer*

Wastewater permits are issued to a specific user for a specific operation. A wastewater discharge permit shall not be reassigned or transferred or sold to a new owner, new user, different premises, or a new or changed operation.

(m) *Permit Reissuance*

A significant industrial user shall apply for permit reissuance by submitting a complete permit application in accordance with Section 8-82 a minimum of 180 days prior to the expiration of the existing permit.

DIVISION 5. REPORTING REQUIREMENTS

Sec. 8-86. Baseline Monitoring Reports

- (a) Within either one hundred eighty (180) days after the effective date of a categorical pretreatment standard, or the final administrative decision on a category determination under 40 CFR 403.6(a)(4), whichever is later, existing categorical users currently discharging to or scheduled to discharge to the POTW shall submit to the POTW Director a report which contains the information listed in (b), below. At least ninety (90) days prior to commencement of their discharge, new sources, and sources that become categorical users subsequent to the promulgation of an applicable categorical standard, shall submit to the POTW Director a report which contains the information listed in Paragraph (b), below. A new source shall report the method of pretreatment it intends to use to meet applicable categorical standards. A new source also shall give estimates of its anticipated flow and quantity of pollutants to be discharged.
- (b) Users described above shall submit the information set forth below.
- (1) *Identifying Information.* The name and address of the facility, including the name of the operator and owner.
 - (2) *Environmental Permits.* A list of any environmental control permits held by or for the facility.
 - (3) *Description of Operations.* A brief description of the nature, average rate of production, and standard industrial classifications of the operation(s) carried out by such user. This description should include a schematic process diagram which indicates points of discharge to the POTW from the regulated processes.
 - (4) *Flow Measurement.* Information showing the measured average daily and maximum daily flow, in gallons per day, to the POTW from regulated process streams and other streams, as necessary, to allow use of the combined wastestream formula set out in 40 CFR 403.6(e).
 - (5) *Measurement of Pollutants.*
 - a. The categorical pretreatment standards applicable to each regulated process.



- b. The results of sampling and analysis identifying the nature and concentration, and/or mass, where required by the standard or by the POTW Director/ Superintendent, of regulated pollutants in the discharge from each regulated process. Instantaneous, daily maximum, and long-term average concentrations, or mass, where required, shall be reported. The sample shall be representative of daily operations and shall be analyzed in accordance with procedures set out in Section 8-95 of this article.
 - c. Sampling must be performed in accordance with procedures set out in Section 8-96 of this article *and 40 CFR 403.12(b) and (g), including 40 CFR 403.12(g)(4).*
- (6) *Certification.* A statement, reviewed by the user's **current** authorized representative *as defined in Section 8-52(a)(1)* and certified by a qualified professional, indicating whether pretreatment standards are being met on a consistent basis, and, if not, whether additional operation and maintenance (O&M) and/or additional pretreatment is required to meet the pretreatment standards and requirements.
- (7) *Compliance Schedule.* If additional pretreatment and/or O&M will be required to meet the pretreatment standards, the shortest schedule by which the user will provide such additional pretreatment and/or O&M. The completion date in this schedule shall not be later than the compliance date established for the applicable pretreatment standard. A compliance schedule pursuant to this Section must meet the requirements set out in Section 8.87 of this article.
- (8) *Signature and Certification.* All baseline monitoring reports must be signed and certified in accordance with Section 8-82(c) of this article.

Sec. 8-87. Compliance Schedule Progress Reports

The following conditions shall apply to the compliance schedule required by Section 8-86(b)(7) of this article:

- (a) The schedule shall contain progress increments in the form of dates for the commencement and completion of major events leading to the construction and operation of additional pretreatment required for the user to meet the applicable pretreatment standards (such events include, but are not limited to , hiring an engineer, completing preliminary and final plans, executing contracts for major components, commencing and completing construction, and beginning and conducting routine operation);
- (b) No increment referred to above shall exceed nine (9) months;



- (c) The user shall submit a progress report to the POTW Director no later than fourteen (14) days following each date in the schedule and the final date of compliance including, as a minimum, whether or not it complied with the increment of progress, the reason for any delay, and, if appropriate, the steps being taken by the user to return to the established schedule; and
- (d) In no event shall more than nine (9) months elapse between such progress reports to the POTW Director.

Sec. 8-88. Reports on Compliance with Categorical Pretreatment Standard Deadline

Within ninety (90) days following the date for final compliance with applicable categorical pretreatment standards, or in the case of a new source following commencement of the introduction of wastewater into the POTW, any user subject to such pretreatment standards and requirements shall submit to the POTW Director a report containing the information described in Section 8-86(b)(4) – (6) of this article. For users subject to equivalent mass or concentration limits established in accordance with the procedures in 40 CFR 403.6(c), this report shall contain a reasonable measure of the user's long-term production rate. For all other users subject to categorical pretreatment standards expressed in terms of allowable pollutant discharge per unit of production (or other measure of operation), this report shall include the user's actual production during the appropriate sampling period. All compliance reports must be signed and certified in accordance with Section 8-82(c) of this article.

Sec. 8-89. Periodic Compliance Reports

- (a) All significant industrial users shall, at a frequency determined by the POTW Director but in no case less than *once every six months*, submit a report indicating the nature and concentration of pollutants in the discharge which are limited by pretreatment standards and the *applicable* flows for the reporting period. *Sampling and analysis must be performed in accordance with procedures set out in section 8-95 and 8-96 of this article.* All periodic compliance reports must be signed and certified in accordance with Section 8-82(c) of this article.
- (b) All wastewater samples must be representative of the user's discharge. Wastewater monitoring and flow measurement facilities shall be properly operated, kept clean, and maintained in good working order at all times. The failure of a user to keep its monitoring facility in good working order shall not be grounds for the user to claim that sample results are unrepresentative of its discharge.
- (c) If a user subject to the reporting requirement in this Section monitors any pollutant more frequently than required by the POTW Director, using the procedures prescribed in Section 8-6 *and 8-87* of this article, the results of this monitoring shall be included in the report.

**Sec. 8-90. Reports of Changed Conditions**

Each user must notify the POTW Director of any planned significant changes to the user's operations or system which might alter the nature, quality, or volume of its wastewater at least thirty (30) days before the change. *See Section 8-91(d) for other reporting requirements.*

- (a) The POTW Director may require the user to submit such information as may be deemed necessary to evaluate the changed condition, including the submission of a wastewater discharge permit application under Section 8-82 of this article.
- (b) The POTW Director may issue a wastewater discharge permit under Section 8-82 of this article or modify an existing wastewater discharge permit under Section 8-82 of this article in response to changed conditions or anticipated changed conditions.
- (c) For purposes of this requirement, significant changes include, but are not limited to, flow increases of twenty percent (20%) or greater, and the discharge of any previously unreported pollutants.

Sec. 8-91. Reports of Potential Problems

- (a) In the case of any discharge, including, but not limited to, accidental discharges, discharges of a nonroutine, episodic nature, a noncustomary batch discharge, or a slug load *as defined in Section 1.2(a)*, that may cause potential problems for the POTW, the user shall immediately telephone and notify the POTW Director of the incident. This notification shall include the location of the discharge, type of waste, concentration and volume, if known, and corrective actions taken by the user.
- (b) Within five (5) days following such discharge, the user shall, unless waived by the POTW Director, submit a detailed written report describing the cause(s) of the discharge and the measures to be taken by the user to prevent similar future occurrences. Such notification shall not relieve the user of any expense, loss, damage, or other liability which may be incurred as a result of damage to the POTW, natural resources, or any other damage to person or property; nor shall such notification relieve the user of any fines, penalties, or other liability which may be imposed pursuant to this article.
- (c) A notice shall be permanently posted on the user's bulletin board or other prominent place advising employees whom to call in the event of a discharge described in subsection (a), above. Employers shall ensure that all employees, who may cause such a discharge to occur, are advised of the emergency notification procedure.
- (d) *All SIUs are required to notify the POTW immediately of any changes at its facility affecting the potential for spills and other accidental discharge, discharge of a non-*



routine, episodic nature, a non-customary batch discharge, or a slug load as defined in Section (a).

Sec. 8-92. Reports from Unpermitted Users

All users not required to obtain a wastewater discharge permit shall provide appropriate reports to the POTW Director as the POTW Director may require.

Sec. 8-93. Notice of Violation/Repeat Sampling and Reporting

(a) If sampling performed by a user indicates a violation, the user must notify the POTW Director within twenty-four (24) hours of becoming aware of the violation. The user shall also repeat the sampling and analysis and submit the results of the repeat analysis to the POTW Director within thirty (30) days after becoming aware of the violation. *If allowed by the POTW Director*, the user is not required to resample if :

- (1) *if the POTW Director monitors at the user's facility at least once a month; or*
- (2) *if the POTW Director samples between the user's initial sampling and when the user receives the results of this sampling.*

(b) *If the POTW Director does not require the user to perform any self-monitoring and the POTW sampling of the user indicates a violation, the POTW Director shall repeat the sampling and obtain the results of the repeat analysis within thirty (30) days after becoming aware of the violations, unless one of the following occurs:*

- (1) *the POTW Director monitors at the user's facility at least once a month; or*
- (2) *the POTW Director samples the user between their initial sampling and when the POTW receives the results of this initial sampling; or*
- (3) *the POTW Director requires the user to perform sampling and submit the results to the POTW Director within the 30 day deadline of the POTW becoming aware of the violation.*

Sec. 8-94. Notification of the Discharge of Hazardous Waste

It shall be unlawful for any user to discharge any hazardous waste as defined in 40 CFR 261 without first having obtained written permission or a special permit, pursuant to division 4 of this article, from the



POTW Director. If permission to discharge hazardous waste is granted by the POTW Director, the following procedures shall apply:

- (a) Any user who commences the discharge of hazardous waste shall notify the POTW, the EPA Regional Waste Management Division Director, and State hazardous waste authorities, in writing, of any discharge into the POTW of a substance which, if otherwise disposed of, would be a hazardous waste under 40 CFR Part 261. Such notification must include the name of the hazardous waste as set forth in 40 CFR Part 261, the EPA hazardous waste number, and the type of discharge (continuous, batch, or other). If the user discharges more than one hundred (100) kilograms of such waste per calendar month to the POTW, the notification also shall contain the following information to the extent such information is known and readily available to the user: an identification of the hazardous constituents contained in the wastes, an estimation of the mass and concentration of such constituents in the wastestream discharge during the calendar month, and an estimation of the mass of constituents in the wastestream expected to be discharged during the following twelve (12) months. All notifications must take place no later than one hundred and eighty (180) days after the discharge commences. Any notification under this paragraph need be submitted only once for each hazardous waste discharge. However, notifications of changed conditions must be submitted under Section 8-90 of this article. The notification requirement in this section does not apply to pollutants already reported by users subject to categorical pretreatment standards under the self-monitoring requirements of Sections 8-86, 8-88, and 8-89 of this article.
- (b) In the case of any new regulation under Section 3001 of RCRA identifying additional characteristics of hazardous waste or listing any additional substance as a hazardous waste, the user must notify the POTW Director, the EPA Regional Waste Management Waste Division Director, and State hazardous waste authorities of the discharge of such substance within ninety (90) days of the effective date of such regulations.
- (c) In the case of any notification made under this section, the user shall certify that it has a program in place to reduce the volume and toxicity of hazardous wastes generated to the degree it has determined to be economically practical.
- (d) This provision does not create a right to discharge any substance not otherwise permitted to be discharged by this article, a permit issued thereunder, or any applicable Federal or State law.

Sec. 8-95. Analytical Requirements

All pollutant analyses, including sampling techniques, to be submitted as part of a wastewater discharge permit application or report shall be performed in accordance with the techniques prescribed in 40 CFR

Part 136, unless otherwise specified in an applicable categorical pretreatment standard. If 40 CFR Part 136 does not contain sampling or analytical techniques for the pollutant in question, sampling and analyses must be performed in accordance with procedures approved by EPA.

Sec. 8-96. *Grab and Composite Sample Collection*

- (a) *All wastewater samples must be representative of the user's discharge. Wastewater monitoring and flow measurement facilities shall be properly operated, kept clean, and maintained in good working order at all times. The failure of a user to keep its monitoring facility in good working order shall not be grounds for the user to claim that sample results are unrepresentative of its discharge.***
- (b) *Grab Samples must be used for pH, cyanide, total phenols, oil and grease, sulfide, volatile organic compounds, and any other pollutants as required by 40 CFR 136. The POTW shall determine the number of grabs necessary to be representative of the User's discharge. See 40 CFR 403.12(g)(5) for additional grab sample number requirements for BMR and 90 Day Compliance Reports. Additionally, the POTW Director may allow collection of multiple grabs during a 24 hour period which are composited prior to analysis as allowed under 40 CFR 136.***
- (c) *Composite Samples: All wastewater composite samples shall be collected with a minimum of hourly aliquots or grabs for each hour that there is a discharge. All wastewater composite samples shall be collected using flow proportional composite collection techniques, unless time-proportional composite sampling or grab sampling is authorized by the POTW Director. When authorizing time-proportional composites or grabs, the samples must be representative and the decision to allow the alternative sampling must be documented.***

8-97. *Timing*

Written reports will be deemed to have been submitted on the date postmarked. For reports which are not mailed, postage prepaid, into a mail facility serviced by the United States Postal Service, the date of receipt of the report shall govern.

8-98. *Record Keeping*

Users subject to the reporting requirements of this article shall retain, and make available for inspection and copying, all records of information obtained pursuant to any monitoring activities required by this article and any additional records of information obtained pursuant to monitoring activities undertaken by the user independent of such requirements. Records shall include the date, exact place, method, and time of



sampling, and the name of the person(s) taking the samples; the dates analyses were performed; who performed the analyses; the analytical techniques or methods used; and the results of such analyses. These records shall remain available for a period of at least three (3) years. This period shall be automatically extended for the duration of any litigation concerning the user or the City or where the user has been specifically notified of a longer retention period by the POTW Director.

Electronic Reporting

The POTW Director may develop procedures for receipt of electronic reports for any reporting requirements of this Ordinance. Such procedures shall comply with 40 CFR Part 3. These procedures shall be enforceable under Section 8 of this Ordinance.

DIVISION 6. COMPLIANCE MONITORING

Sec. 8-101. Monitoring Facilities

The City requires the user to provide and operate at the user's own expense, monitoring facilities to allow inspection, sampling, and flow measurement of the building sewer and/or internal drainage systems. The monitoring facility should normally be situated on the user's premises, but the City may, when such a location would be impractical or cause undue hardship on the user, allow the facility to be constructed in the public street or sidewalk area and located so that it will not be obstructed by landscaping or parked vehicles.



There shall be ample room in or near such sampling manhole or facility to allow accurate sampling and preparation of samples for analysis. The facility, sampling, and measuring equipment shall be maintained at all times in a safe and proper operating condition at the expense of the user.

Whether constructed on public or private property, the sampling and monitoring facilities shall be provided in accordance with the City's requirements and all applicable local construction standards and specifications. Construction shall be completed within 90 days following written notification by the City.

Sec. 8-102. Inspection and Sampling

The City will inspect the facilities of any user to ascertain whether the purpose of this article is being met and all requirements are being complied with. Persons or occupants of premises where wastewater is created or discharged shall allow the City, approval authority and EPA or their representative ready access at all reasonable times to all parts of the premises for the purposes of inspection, sampling, records examination and copying or in the performance of any of their duties. The City's approval authority and EPA shall have the right to set up on the user's property such devices as are necessary to conduct sampling, inspection, compliance monitoring and/or metering operations. Where a user has security measures in force which would require proper identification and clearance before entry into their premises, the user shall make necessary arrangements with their security guards so that upon presentation of suitable identification, personnel from the City approval authority and EPA will be permitted to enter, without delay, for the purposes of performing their specific responsibilities. Denial of the POTW Director's, approval authority's, or EPA's access to the user's premises shall be a violation of this article. Unreasonable delays may constitute denial of access.

Sec. 8-103. Search Warrants

If the POTW Director, approval authority, or EPA has been refused access to a building, structure, or property, or any part thereof, and is able to demonstrate probable cause to believe that there may be a violation of this article, or that there is a need to inspect and/or sample as part of a routine inspection and sampling program of the City designed to verify compliance with this article or any permit or order issued hereunder, or to protect the overall public health, safety and welfare of the community, then the POTW Director, approval authority, or EPA may seek issuance of a search warrant from the Superior Court of the General Court of Justice in Lincoln County.

DIVISION 7. CONFIDENTIAL INFORMATION

Sec. 8-107. Public information; request for confidentiality.

Information and data on a user obtained from reports, questionnaires, permit applications, permits and monitoring programs and from inspections shall be available to the public or other governmental agency without restriction unless the user specifically requests and is able to demonstrate to the satisfaction of the POTW Director that the release of such information would divulge information, processes or methods of production entitled to protection as trade secrets of the user. Any such request must be asserted at the time of submission of the information or data.

Sec. 8-108. Government access to information.

When requested by the person furnishing a report, the portions of a report which might disclose trade secrets or secret processes shall not be made available for inspection by the public, but shall be made available upon written request to governmental agencies for uses related to this ordinance, the National Pollutant Discharge Elimination System (NPDES) Permit, Non-discharge permit and/or the pretreatment programs; provided, however, that such portions of a report shall be available for use by the State or any state agency in judicial review or enforcement proceedings involving the person furnishing the report. Wastewater constituents and characteristics will not be recognized as confidential information.

Sec. 8-109. Availability of records.

All records relating to compliance with Pretreatment Standards shall be made available to officials of the approval authority and EPA upon request.

DIVISION 8. ENFORCEMENT**8.111. Administrative Remedies****(a) *Notification Of Violation***

Whenever the POTW Director finds that any industrial user has violated or is violating this Article, wastewater permit, or any prohibition, limitation or requirements contained therein or any other pretreatment requirement the POTW Director may serve upon such a person a written notice stating the nature of the violation. Within 30 days from the date of this notice, an explanation for the violation and a plan for the satisfactory correction thereof shall be submitted to the City by the user. Submission of this plan does not relieve the discharger of liability for any violations occurring before or after receipt of the notice of violation.

(b) *Consent Orders*

The POTW Director is hereby empowered to enter into consent orders, assurances of voluntary compliance, or other similar documents establishing an agreement with the person responsible for the noncompliance. Such orders will include specific action to be taken by the discharger to correct the noncompliance within a time period also specified by the order. Consent orders shall have the same force and effect as an administrative order issued pursuant to subsection(d), below.



(c) *Show Cause Hearing*

The POTW Director may order any industrial user who causes or is responsible for an unauthorized discharge, has violated this article or is in noncompliance with a wastewater discharge permit to show cause why a proposed enforcement action should not be taken. In the event the POTW Director determines that a show cause order should be issued, a notice shall be served on the user specifying the time and place for the hearing, the proposed enforcement action, the reasons for such action, and a request that the user show cause why this proposed enforcement action should not be taken. The notice of the hearing shall be served personally or by registered or certified mail (return receipt requested) at least ten (10) days before the hearing. Service may be made on any agent or officer of a corporation.

The POTW Director shall review the evidence presented at the hearing and determine whether the proposed enforcement action is appropriate.

A show cause hearing under this section is not a prerequisite to the assessment of a civil penalty under Section 8-112 nor is any action or inaction taken by the POTW Director under this section subject to an administrative appeal under Section 8-82(h).

(d) **Administrative Orders**

When the POTW Director finds that an industrial user has violated or continues to violate this article, permits or orders issued hereunder, or any other pretreatment requirement the POTW Director may issue an order to cease and desist all such violations and direct those persons in noncompliance to do any of the following:

- (1) Immediately comply with all requirements;
- (2) Comply in accordance with a compliance time schedule set forth in the order;
- (3) Take appropriate remedial or preventive action in the event of a continuing or threatened violation;
- (4) Disconnect unless adequate treatment facilities, devices or other related appurtenances are installed and properly operated within a specified time period.

(e) *Emergency Suspensions*

The POTW Director may suspend the wastewater treatment service and/or wastewater permit when such suspension is necessary in order to stop an actual or threatened discharge which presents or may present an imminent or substantial



endangerment to the health or welfare of persons or the environment, interferes with the POTW or causes the POTW to violate any condition of its NPDES or Non-discharge permit.

Any user notified of a suspension of the wastewater treatment service and/or the wastewater permit shall immediately stop or eliminate the contribution. A hearing will be held within 15 days of the notice of suspension to determine whether the suspension may be lifted or the user's waste discharge permit terminated. In the event of a failure to comply voluntarily with the suspension order, the POTW Director shall take such steps as deemed necessary including immediate severance of the sewer connection, to prevent or minimize damage to the POTW system or endangerment to any individuals. The POTW Director shall reinstate the wastewater permit and the wastewater treatment service upon proof of the elimination of the noncompliant discharge. The industrial user shall submit a detailed written statement describing the causes of the harmful contribution and the measures taken to prevent any future occurrence to the POTW Director prior to the date of the above-described hearing.

(f) *Termination Of Permit or Permission to Discharge*

The POTW Director may revoke a wastewater discharge permit or permission to discharge for good cause, including, but not limited to, the following reasons:

Any user who violates the following conditions of this ordinance, or applicable State and Federal regulations, is subject to having its permit terminated:

- (1) Failure to accurately report the wastewater constituents and characteristics of his discharge;
- (2) Failure to report significant changes in operations, or wastewater constituents and characteristics;
- (3) Refusal of reasonable access to the user's premises for the purpose of inspection or monitoring; or,
- (4) Violation of conditions of the permit ***or permission to discharge, conditions of this article, or any applicable State and Federal regulations.***

Noncompliant industrial users will be notified of the proposed termination of their wastewater permit and will be offered an opportunity to show cause under Section 8-111 of this article why the proposed action should not be taken.

Sec. 8-112. Civil Penalties

- (a) Any user who is found to have failed to comply with any provision of this article, or the orders, rules, regulations and permits issued hereunder, may be fined up *to twenty five thousand dollars (\$25,000)* per day per violation.

Penalties between \$10,000 and \$25,000 per day per violation may be assessed against a violator only if:

- (1) for any class of violation, only if a civil penalty has been imposed against the violator within the five years preceding the violation, or*
 - (2) in the case of failure to file, submit, or make available, as the case may be, any documents, data, or reports required by this ordinance, or the orders, rules, regulations and permits issued hereunder, only if the POTW Director determines that the violation was intentional and a civil penalty has been imposed against the violator within the five years preceding the violation.*
- (b) Any user who is found to have conducted malicious damage to the public sewer system, treatment works, and/or all appurtenances shall be subject to punitive action and penalties.
- (c) In determining the amount of the civil penalty, the POTW Director shall consider the following:
- (1.) The degree and extent of the harm to the natural resources, to the public health, or to public or private property resulting from the violation;
 - (2.) The duration and gravity of the violation;
 - (3.) The effect on ground or surface water quantity or quality or on air quality;
 - (4.) The cost of rectifying the damage;
 - (5.) The amount of money saved by noncompliance;
 - (6.) Whether the violation was committed willfully or intentionally;
 - (7.) The prior record of the violator in complying or failing to comply with the pretreatment program;
 - (8.) The costs of enforcement to the City.

- (d) Actions for any unpaid civil penalties shall be referred to the City Attorney for collection.
- (e) Appeals of civil penalties assessed in accordance with this section shall be as provided in Section 8-82(h).

Sec. 8-113. Other Available Remedies

Remedies, in addition to those previously mentioned in this ordinance, are available to the POTW Director who may use any single one or combination against a noncompliant user. Additional available remedies include, but are not limited to:

- (a) **Criminal Violations.** The District Attorney for the 278 Judicial District may, at the request of the City prosecute noncompliant users who violate the provisions of G.S. 143-215.6B.

- (b) **Injunctive Relief**

Whenever a user is in violation of the provisions of this article or an order or permit issued hereunder, the POTW Director, through the City Attorney, may petition the Superior Court of Justice for the issuance of a restraining order or a preliminary and permanent injunction which restrains or compels the activities in question.

- (c) *Water Supply Severance*

Whenever an industrial user is in violation of the provisions of this article or an order or permit issued hereunder, water service to the industrial user may be severed and service will only recommence, at the user's expense, after it has satisfactorily demonstrated ability to comply .

- (d) *Public Nuisances*

Any violation of the prohibitions or effluent limitations of this article or of a permit or order issued hereunder, is hereby declared a public nuisance and shall be corrected or abated as directed by the POTW Director. Any person(s) creating a public nuisance shall be subject to the provisions of the City Code governing such nuisances, including reimbursing the POTW for any costs incurred in removing, abating or remedying said nuisance.

**Sec. 8-114. Remedies Nonexclusive**

The remedies provided for in this ordinance are not exclusive. The POTW Director may take any, all, or any combination of these actions against a noncompliant user. Enforcement of pretreatment violations will generally be in accordance with the City's enforcement response plan. However, the POTW Director may take other action against any user when the circumstances warrant. Further, the POTW Director is empowered to take more than one enforcement action against any noncompliant user.

DIVISION 9. ANNUAL PUBLICATION OF SIGNIFICANT NONCOMPLIANCE**Sec. 8-119. Public Disclosure.**

At least annually, the POTW Director shall publish in the largest daily newspaper circulated in the service area, a list of those industrial users who were found to be in significant noncompliance, also referred to as reportable noncompliance in 15A NCAC 2H .0903(b)(10), with applicable pretreatment standards and requirements, during the previous 12 months.

DIVISION 10. AFFIRMATIVE DEFENSES TO DISCHARGE VIOLATIONS**Sec. 8-121. Upset.**

- (a) An upset shall constitute an affirmative defense to an action brought for noncompliance with categorical pretreatment standards if the requirements of paragraph (b), below, are met.
- (b) A user who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence that:
 - (1) An upset occurred and the user can identify the cause(s) of the upset;
 - (2) The facility was at the time being operated in a prudent and workman-like manner and in compliance with applicable operation and maintenance procedures; and
 - (3) The user has submitted the following information to the POTW Director within twenty-four (24) hours of becoming aware of the upset. If this information is provided orally, a written submission must be provided within five (5) days:
 - a. A description of the indirect discharge and cause of noncompliance;



- b. The period of noncompliance, including exact dates and times or, if not corrected, the anticipated time the noncompliance is expected to continue; and
 - c. Steps being taken and/or planned to reduce, eliminate, and prevent recurrence of the noncompliance.
- (c) In any enforcement proceeding, the user seeking to establish the occurrence of an upset shall have the burden of proof.
- (d) Users will have the opportunity for a judicial determination on any claim of upset only in an enforcement action brought for noncompliance with categorical pretreatment standards.
- (e) Users shall control production of all discharges to the extent necessary to maintain compliance with categorical pretreatment standards upon reduction, loss, or failure of its treatment facility until the facility is restored or an alternative method of treatment is provided. This requirement applies in the situation where, among other things, the primary source of power of the treatment facility is reduced, lost, or fails.

Sec. 8-122. Prohibited Discharge Standards Defense

A user shall have an affirmative defense to an enforcement action brought against it for noncompliance with the general prohibitions in Section 8-60 (a) of this article or the specific prohibitions in Sections 8-60(b)(2), (3) and (5) through (7), and (9) through (24) of this article if it can prove that it did not know, or have reason to know, that its discharge, alone or in conjunction with discharges from other sources, would cause pass through or interference and that either:

- (a) A local limit exists for each pollutant discharged and the user was in compliance with each limit directly prior to, and during, the pass through or interference; or
- (b) No local limit exists, but the discharge did not change substantially in nature or constituents from the user's prior discharge when the City was regularly in compliance with its NPDES permit, and in the case of interference, was in compliance with applicable sludge use or disposal requirements.

Sec. 8-123. Bypass

- (a) A user may allow any bypass to occur which does not cause pretreatment standards or requirements to be violated, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the provision of subsections (b) and (c) of this section.



(b) Notification of bypass by user.

- (1) If a user knows in advance of the need for a bypass, it shall submit prior notice to the POTW Director, at least ten (10) days before the date of the bypass, if possible.
- (2) A user shall submit oral notice to the POTW Director of an unanticipated bypass that exceeds applicable pretreatment standards within twenty-four (24) hours from the time it becomes aware of the bypass. A written submission shall also be provided within five (5) days of this time the user becomes aware of the bypass. The written submission shall contain a description of the bypass and its cause; the duration of the bypass, including exact dates and times, and, if the bypass has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the bypass. The POTW Director may waive the written report on a case-by-case basis if the oral report has been received within twenty-four (24) hours.

(c) Criteria for Nonenforcement Action or Approval of Bypass.

- (1) Bypass is prohibited, and the POTW Director may take an enforcement action against a user for a bypass, unless
 - (a) Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;
 - (b) There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance; and
 - (c) The user submitted notices as required under subsection (b) of this section.
- (2) The POTW Director may approve an anticipated bypass, after considering its adverse effects, if the POTW Director determines that it will meet the three conditions listed in subsection (c)(1) of this section.



If any provision, paragraph, word, section or article of this ordinance is invalidated by any court of competent jurisdiction, the remaining provisions, paragraphs, words, sections, and chapters shall not be affected and shall continue in full force and effect.

DIVISION 12. CONFLICT

All other articles and ordinances and parts of other articles and ordinances inconsistent or conflicting with any part of this article are hereby repealed to the extent of such inconsistency or conflict.

DIVISION 13. EFFECTIVE DATE

on the _____ day of _____, 20____.

INTRODUCED the ____ day of _____, 20____.

FIRST READING: _____,20____.

SECOND READING: _____,20____.

PASSED this ____ day of _____, 20____.

AYES:

NAYS:

ABSENT:

NOT VOTING:

APPROVED this ____ day of _____, 20____.

MAYOR, of the [Town]

ATTEST: _____(Seal) City Clerk

Published the ____ day of _____, 20____. This ordinance shall be in full force and effect from and after its passage, approval and publication, as provided by law.